

VAUCLUSE



INSPIRATION  
SOURCE

VAUCLUSE

France is a country full of romance. When you walked into Vaucluse, you will be deeply impressed by the art and romance. Vaucluse combines environment, architecture and art to express human inner feelings and to present different levels of artistic taste.

The designer, using the design concept of Vaucluse, combining with the texture of the classic stone in French Louvre and modern aesthetics, expresses the natural touch and inner tension of the stone. When we are copying the beauty of the Louvre, we are also telling the artistic charm of Vaucluse.

MATT

NATURAL


LAPPATO

HONED

VAUCLOSE

594.4594.4mm

594.4X1.92mm



CASA BLANCA



ISERNIA LIMESTONE



BOSSA NOVA



MOON NIGHT




MOON LIGHT



BELLA VISTA




ISERNIA LIMESTONE





CASA BLANCA





BOSSA NOVA









BELLA VISTA





MOON NIGHT






MOON LIGHT





PROJECTS







# MULTIPLE FACES

VAUCLUSE



ISERNIA LIMESTONE



CR1263211 / MATT  
CR1263211S / LAPP.  
CR1263211R / HONED  
CR1263211W / NAT.

CASA BLANCA



CR1263212/ MATT  
CR1263212S / LAPP.  
CR1263212R / HONED  
CR1263212W / NAT.

BOSSA NOVA



CR1263213/ MATT  
CR1263213S / LAPP.  
CR1263213R / HONED  
CR1263213W / NAT.

BELLA VISTA



CR1263214/ MATT  
CR1263214S / LAPP.  
CR1263214R / HONED  
CR1263214W / NAT.

MOON NIGHT



CR1263215/ MATT  
CR1263215S / LAPP.  
CR1263215R / HONED  
CR1263215W / NAT.

MOON LIGHT



CR1263216/ MATT  
CR1263216S / LAPP.  
CR1263216R / HONED  
CR1263216W / NAT.



CR603211 / MATT  
CR603211S / LAPP.  
CR603211R / HONED  
CR603211W / NAT.



CR603212/ MATT  
CR603212S / LAPP.  
CR603212R / HONED  
CR603212W / NAT.



CR603213/ MATT  
CR603213S / LAPP.  
CR603213R / HONED  
CR603213W / NAT.



CR603214/ MATT  
CR603214S / LAPP.  
CR603214R / HONED  
CR603214W / NAT.



CR603215/ MATT  
CR603215S / LAPP.  
CR603215R / HONED  
CR603215W / NAT.




CR603216/ MATT  
CR603216S / LAPP.  
CR603216R / HONED  
CR603216W / NAT.


# THE PAVING APPLICATION

# VAUCLUSE

594.4X594.4MM



594.4X594.4MM/594.4X1192MM



TECHNICAL CHARACTERISTICS		STANDARD		VALUE	
		Floor Tile	Wall Tile	Floor Tile	Wall Tile
	Water absorption	≤0,5%	10% < E ≤20%	0,08%	17%
	Surface flatness	(Edge curvature) ± 0,5% (Max ± 2,0mm)	(Edge curvature) + 0,5% -0,3% (Max + 2,0mm,-1,5mm)	± 0,03% (-0,15mm ~ +0,26mm)	-0,06% ~ +0,14% (-0,18mm ~ +0,41mm)
		(Warpage) ± 0,5% (Max ± 2,0mm)	(Warpage) ± 0,5% (Max ± 2,0mm)	± 0,02% / ± 0,16mm	± 0,04% (-0,24mm ~ +0,28mm)
		(Center curvature) ± 0,5% (Max ± 2,0mm)	(Center curvature) +0,5% -0,3% (Max + 2,0mm,-1,5mm)	-0,02% ~ +0,03% (-0,17mm ~ +0,25mm)	-0,03% ~ +0,04% (-0,17mm ~ +0,25mm)
	Breaking strength	≥ 1300 N	≥ 600 N	2491 N	1276 N
	Modulus of rupture	≥ 35 Mpa	≥ 15 Mpa	46 Mpa	23 Mpa
	Frost resistance	No crack or peeling after the frost test		Conformed	
	Resistance to household chemicals & swimming pool salts and high and low acids and alkalis	Minimum GB / Manufacturer to state classification		GA - GLA - GHA	GA - GLA
	Stain resistance	Minimum class 3		Class 5	Class 5
	Slip resistance	Floor Tile		(Matt)	(Natural)
		DIN51130		R10	R11
		ANSI A 137.1-2012 DCOF (Section 9.6)		Wet ≥0,42	Wet ≥0,42
		AS 4586:2013		P3	P5

FLOOR TILES  
 WALL TILES  
 DOMESTIC URPOSE  
 OUTDOOR FLOOR  
 TILES FOR LIGHT COMMERCIAL TRAFFIC AREA  
 SCHATTIERUG  
 隆軒性木片

NA NATURAL  
 LP LAPPATO  
 HQ HONED  
 MA MATT  
 TILES FOR HEAVY T RAFFIC AREA

(Size)	(Thickness)	(Pieces x Sqm )	(Pieces x Box)	(Sqm x Box)	(Weight x Box)	(Boxes x Pallet)	(Sqm x Pallet)	(Weight x Pallet)
cm	mm	Pcs/ m <sup>2</sup>	Pcs/Bte	m <sup>2</sup> /Bte	Kg	Bte/Pal.	m <sup>2</sup> /Pal.	Kg
594,4x1192	10,5	1,39	2	1,44	36,5	29	41,76	1078,5
594,4x594,4	9,5	2,78	4	1,44	31	40	57,6	1240